Connecting via Winsock to STN

```
Welcome to STN International! Enter x:x
```

LOGINID: ssspta1201txs

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
* * * * * * Welcome to STN International
                Web Page URLs for STN Seminar Schedule - N. America
NEWS
     1
NEWS 2
                "Ask CAS" for self-help around the clock
NEWS 3 FEB 28 PATDPAFULL - New display fields provide for legal status
                data from INPADOC
NEWS 4 FEB 28 BABS - Current-awareness alerts (SDIs) available
NEWS 5 MAR 02 GBFULL: New full-text patent database on STN
                REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS 6 MAR 03
                MEDLINE file segment of TOXCENTER reloaded
NEWS 7 MAR 03
                KOREAPAT now updated monthly; patent information enhanced
NEWS 8 MAR 22
                Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS 9 MAR 22
                PATDPASPC - New patent database available
NEWS 10 MAR 22
                REGISTRY/ZREGISTRY enhanced with experimental property tags
NEWS 11 MAR 22
                EPFULL enhanced with additional patent information and new
NEWS 12 APR 04
                fields
                EMBASE - Database reloaded and enhanced
NEWS 13 APR 04
                New CAS Information Use Policies available online
     14 APR 18
NEWS
                Patent searching, including current-awareness alerts (SDIs),
NEWS 15 APR 25
                based on application date in CA/CAplus and USPATFULL/USPAT2
                may be affected by a change in filing date for U.S.
                applications.
                Improved searching of U.S. Patent Classifications for
NEWS 16 APR 28
                U.S. patent records in CA/CAplus
                GBFULL enhanced with patent drawing images
NEWS 17 MAY 23
NEWS 18 MAY 23 REGISTRY has been enhanced with source information from
                CHEMCATS
                STN Patent Forums to be held in June 2005
NEWS 19 JUN 06
NEWS 20 JUN 06 The Analysis Edition of STN Express with Discover!
                 (Version 8.0 for Windows) now available
                RUSSIAPAT: New full-text patent database on STN
NEWS 21 JUN 13
NEWS 22 JUN 13 FRFULL enhanced with patent drawing images
NEWS 23 JUN 20
                MEDICONF to be removed from STN
                MARPAT displays enhanced with expanded G-group definitions
NEWS 24 JUN 27
                and text labels
NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
             MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
             AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
NEWS HOURS
             STN Operating Hours Plus Help Desk Availability
             General Internet Information
NEWS INTER
NEWS LOGIN
             Welcome Banner and News Items
             Direct Dial and Telecommunication Network Access to STN
NEWS PHONE
NEWS WWW
             CAS World Wide Web Site (general information)
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 17:26:07 ON 30 JUN 2005

=> file reg
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 17:26:16 ON 30 JUN 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 29 JUN 2005 HIGHEST RN 853295-05-3 DICTIONARY FILE UPDATES: 29 JUN 2005 HIGHEST RN 853295-05-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting ${\tt SmartSELECT}$ searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

Uploading C:\Program Files\Stnexp\Queries\10774619.str

chain nodes : 21 22 23 24 25 26 27 28 29 ring nodes : 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 chain bonds : 2-29 4-28 8-21 9-22 9-23 13-21 14-24 14-25 17-26 19-27 ring bonds : exact/norm bonds : 1-10 6-7 7-8 8-9 8-21 9-10 11-12 12-13 13-14 13-21 14-15 15-16 exact bonds : 2-29 4-28 9-22 9-23 14-24 14-25 17-26 19-27 normalized bonds : 1-2 1-6 2-3 3-4 4-5 5-6 11-16 11-20 16-17 17-18 18-19 19-20 isolated ring systems : containing 1 : 11 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS 28:CLASS 29:CLASS

L1 STRUCTURE UPLOADED

=> \$ 11 SAMPLE SEARCH INITIATED 17:26:36 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 0 TO 0

PROJECTED ANSWERS: 0 TO

L2 0 SEA SSS SAM L1

=> s 11 ful

FULL SEARCH INITIATED 17:26:42 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 6 TO ITERATE

100.0% PROCESSED 6 ITERATIONS 5 ANSWERS

SEARCH TIME: 00.00.01

L3 5 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
161.33
161.54

FILE 'CAPLUS' ENTERED AT 17:26:48 ON 30 JUN 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Jun 2005 VOL 143 ISS 1 FILE LAST UPDATED: 29 Jun 2005 (20050629/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13

L4 2 L3

=> d l4 ibib hitstr abs 1-2

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2003:49058 CAPLUS

DOCUMENT NUMBER: 139:149666

TITLE: Dealkylation with boron bromide chelates

AUTHOR(S): Keizer, Timothy S.; De Pue, Lauren J.; Parkin, Sean;

Atwood, David A.

CORPORATE SOURCE: Department of Chemistry, University of Kentucky,

Lexington, KY, 40506-0055, USA

SOURCE: Journal of Organometallic Chemistry (2003), 666(1-2),

103-109

CODEN: JORCAI; ISSN: 0022-328X

PUBLISHER: Elsevier Science B.V.

DOCUMENT TYPE: Journal LANGUAGE: English

OTHER SOURCE(S): CASREACT 139:149666

IT 570414-19-6P

RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses) (mol. structure, phosphate dealkylation; preparation, structure and phosphate dealkylation activity of boron bromide Schiff base acidic binuclear chelates)

RN 570414-19-6 CAPLUS

CN Boron, tetrabromo[μ-[[2,2'-[1,6-hexanediylbis[(nitriloκN)methylidyne]]bis[4,6-bis(1,1-dimethylethyl)phenolato-κO]](2-)]]di- (9CI) (CA INDEX NAME)

IT 570414-18-5P

RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(phosphate dealkylation; preparation, structure and phosphate dealkylation activity of boron bromide Schiff base acidic binuclear chelates)

RN 570414-18-5 CAPLUS

CN Boron, tetrabromo[μ-[[2,2'-[1,2-ethanediylbis[(nitriloκN)methylidyne]]bis[4,6-bis(1,1-dimethylethyl)phenolato-κO]](2-)||di-(9CI) (CA INDEX NAME)

$$t-Bu$$

$$-Br$$

$$Br$$

$$-Br$$

$$Br$$

$$-Br$$

$$Bu-t$$

$$Bu-t$$

$$b-Bu$$

$$b-Bu$$

Me₃ C

$$\begin{array}{c}
CMe_3\\
O\\
R1
\end{array}$$
 $\begin{array}{c}
N-(CH_2)_{11}\\
N-(CH_2)_{12}\\
N-(CMe_3)
\end{array}$
 $\begin{array}{c}
R^2\\
B\\
O\\
CMe_3
\end{array}$

Potential two-center Lewis acid compds., bis-salicylimine boron bromide complexes, were prepared and their activity in phosphate dealkylation reaction was examined Compds. (I) (1-6; 1, 2: R1 = R2 = Br, N = 2, 6; 3-6: R1 = p-tolyl, R2 = Br, n = 2, 3, 4, 6) were prepared by BBr3 bromination of corresponding methoxy-precursors (I, R1 = R2 = OMe or R1 = p-tolyl, R2 = OMe). Mono-chelate dibromo[2,4-di-tert-butyl-2-(tert-butylimino)methylphenolato-O,N]boron (7) was also prepared from corresponding dimethoxy-complex. These compds. are active towards the dealkylation of alkyl phosphates and are catalytic when stoichiometric amts. of BBr3 and tri-Me phosphate are introduced to the chelate ligand. All of the compds. were characterized 1H- and 11B-NMR, IR, MS; x-ray crystal structure of 2 is reported.

REFERENCE COUNT: 40 THERE ARE 40 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2002:106412 CAPLUS

DOCUMENT NUMBER: 136:309952

TITLE: Catalytic Dealkylation of Phosphates with Binuclear

Boron Compounds

AUTHOR(S): Keizer, Timothy S.; De Pue, Lauren J.; Parkin, Sean;

Atwood, David A.

CORPORATE SOURCE: Department of Chemistry, University of Kentucky,

Lexington, KY, 40506-0055, USA

SOURCE: Journal of the American Chemical Society (2002),

124(9), 1864-1865

CODEN: JACSAT; ISSN: 0002-7863

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal LANGUAGE: English

OTHER SOURCE(S): CASREACT 136:309952

IT 412014-89-2P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (preparation and crystal structure of)

RN 412014-89-2 CAPLUS

CN Boron, tetrabromo [μ -[[2,2'-[1,4-butanediylbis[(nitrilo- κ N)methylidyne]]bis[4,6-bis(1,1-dimethylethyl)phenolato- κ O]](2-)]]di-, compd. with methylbenzene (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 412014-87-0 CMF C34 H50 B2 Br4 N2 O2 CCI CCS

CM 2

CRN 108-88-3 CMF C7 H8

RN

CN

IT 412014-87-0P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (preparation and mol. structure of)
412014-87-0 CAPLUS
Boron, tetrabromo[μ-[[2,2'-[1,4-butanediylbis[(nitrilo-κN)methylidyne]]bis[4,6-bis(1,1-dimethylethyl)phenolato-κO]](2-

$$t-Bu$$

$$-Br$$

$$Br$$

$$-Br$$

$$Br$$

$$CCH2)4
$$Bu-t$$

$$Bu-t$$

$$Bu-t$$$$

)]]di- (9CI) (CA INDEX NAME)

IT 412014-86-9P

RN 412014-86-9 CAPLUS

CN Boron, tetrabromo[μ -[[2,2'-[1,3-propanediylbis[(nitrilo- κ N)methylidyne]]bis[4,6-bis(1,1-dimethylethyl)phenolato- κ O]](2-

)]]di- (9CI) (CA INDEX NAME)

The Salen(tBu) (N,N'-propylenebis(3,5-di-tert-butyl(2-hydroxy)benzylidenimine)) ligand and its derivs. were used to prepare binuclear boron complexes. These compds. have the formula, L(BBr2)2 (L = Salpen(tBu) and Salben(tBu) (N,N'-butylenebis(3,5-di-tert-butyl(2-hydroxy)benzylidenimine))). These are formed from the reaction of the corresponding L[B(OMe)2]2 with BBr3. They represent a new type of binuclear boron compound These compds. are active toward the dealkylation of many phosphates. Thus, (OMe)3P(O) is %89 dealkylated in the presence of Salpen(tBu)(BBr2)2. They are also catalytically active with a stoichiometric amount of BBr3 to trimethylphosphate.

REFERENCE COUNT: 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	10.78	172.32
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.46	-1.46

STN INTERNATIONAL LOGOFF AT 17:28:09 ON 30 JUN 2005

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1201txs

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America NEWS 2 "Ask CAS" for self-help around the clock

```
PATDPAFULL - New display fields provide for legal status
NEWS 3 FEB 28
                 data from INPADOC
                 BABS - Current-awareness alerts (SDIs) available
NEWS 4 FEB 28
                 GBFULL: New full-text patent database on STN
NEWS 5 MAR 02
                 REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS 6 MAR 03
NEWS 7 MAR 03
                 MEDLINE file segment of TOXCENTER reloaded
NEWS 8 MAR 22
                 KOREAPAT now updated monthly; patent information enhanced
                 Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS 9 MAR 22
NEWS 10 MAR 22
                 PATDPASPC - New patent database available
NEWS 11 MAR 22
                 REGISTRY/ZREGISTRY enhanced with experimental property tags
                 EPFULL enhanced with additional patent information and new
NEWS 12 APR 04
                 fields
                 EMBASE - Database reloaded and enhanced
NEWS
      13 APR 04
                 New CAS Information Use Policies available online
NEWS
      14 APR 18
                 Patent searching, including current-awareness alerts (SDIs),
NEWS 15 APR 25
                 based on application date in CA/Caplus and USPATFULL/USPAT2
                 may be affected by a change in filing date for U.S.
                 applications.
                 Improved searching of U.S. Patent Classifications for
NEWS
      16 APR 28
                 U.S. patent records in CA/CAplus
                 GBFULL enhanced with patent drawing images
NEWS
      17 MAY 23
                 REGISTRY has been enhanced with source information from
NEWS 18 MAY 23
                 CHEMCATS
                 STN Patent Forums to be held in June 2005
NEWS 19 JUN 06
                 The Analysis Edition of STN Express with Discover!
NEWS 20 JUN 06
                  (Version 8.0 for Windows) now available
                 RUSSIAPAT: New full-text patent database on STN
      21 JUN 13
NEWS
                 FRFULL enhanced with patent drawing images
      22 JUN 13
NEWS
                 MEDICONF to be removed from STN
      23 JUN 20
NEWS
                 MARPAT displays enhanced with expanded G-group definitions
NEWS 24 JUN 27
                 and text labels
NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
              MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
              STN Operating Hours Plus Help Desk Availability
NEWS HOURS
NEWS INTER
              General Internet Information
NEWS LOGIN
              Welcome Banner and News Items
              Direct Dial and Telecommunication Network Access to STN
NEWS PHONE
NEWS WWW
              CAS World Wide Web Site (general information)
Enter NEWS followed by the item number or name to see news on that
```

specific topic.

All use of STN is subject to the provisions of the STN Customer Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * * STN Columbus

FILE 'HOME' ENTERED AT 19:11:17 ON 30 JUN 2005

=> file caplus SINCE FILE COST IN U.S. DOLLARS FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 19:11:26 ON 30 JUN 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Jun 2005 VOL 143 ISS 1 FILE LAST UPDATED: 29 Jun 2005 (20050629/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> s chelated borate or borate chelate
          9034 CHELATED
         61383 BORATE
         10673 BORATES
         65473 BORATE
                  (BORATE OR BORATES)
             3 CHELATED BORATE
                 (CHELATED (W) BORATE)
         61383 BORATE
         10673 BORATES
         65473 BORATE
                 (BORATE OR BORATES)
         42713 CHELATE
```

26602 CHELATES 56625 CHELATE (CHELATE OR CHELATES) 29 BORATE CHELATE

32 CHELATED BORATE OR BORATE CHELATE L1

(BORATE (W) CHELATE)

=> s l1 and (halide or halogen or astatine) 148057 HALIDE

> 123372 HALIDES 214911 HALIDE

(HALIDE OR HALIDES)

103635 HALOGEN 21028 HALOGENS

114256 HALOGEN

(HALOGEN OR HALOGENS)

1587 ASTATINE

2 ASTATINES

1587 ASTATINE

(ASTATINE OR ASTATINES)

O L1 AND (HALIDE OR HALOGEN OR ASTATINE) L2

```
=> s chelate
         42713 CHELATE
         26602 CHELATES
L3
         56625 CHELATE
                 (CHELATE OR CHELATES)
=> s 13 and (boron or aluminum or gallium or indium or tellurium)
        214396 BORON
           263 BORONS
        214479 BORON
                 (BORON OR BORONS)
        880570 ALUMINUM
           297 ALUMINUMS
        880632 ALUMINUM
                  (ALUMINUM OR ALUMINUMS)
        281184 GALLIUM
            19 GALLIUMS
        281184 GALLIUM
                 (GALLIUM OR GALLIUMS)
        181489 INDIUM
            11 INDIUMS
        181492 INDIUM
                 (INDIUM OR INDIUMS)
         45890 TELLURIUM
            14 TELLURIUMS
         45893 TELLURIUM
                 (TELLURIUM OR TELLURIUMS)
          4809 L3 AND (BORON OR ALUMINUM OR GALLIUM OR INDIUM OR TELLURIUM)
L4
=> s 14 and (halide or halogen or astatine or flurine or chlorine or bromine or
iodine)
        148057 HALIDE
        123372 HALIDES
        214911 HALIDE
                 (HALIDE OR HALIDES)
        103635 HALOGEN
        21028 HALOGENS
        114256 HALOGEN
                 (HALOGEN OR HALOGENS)
          1587 ASTATINE
             2 ASTATINES
          1587 ASTATINE
                 (ASTATINE OR ASTATINES)
            13 FLURINE
        124254 CHLORINE
           758 CHLORINES
        124742 CHLORINE
                  (CHLORINE OR CHLORINES)
         49140 BROMINE
           158 BROMINES
         49237 BROMINE
                  (BROMINE OR BROMINES)
        127621 IODINE
           194 IODINES
        127695 IODINE
                  (IODINE OR IODINES)
           281 L4 AND (HALIDE OR HALOGEN OR ASTATINE OR FLURINE OR CHLORINE OR
L5
```

BROMINE OR IODINE)

=> s 15 and (ssalen or salpen or salben or salhen) 0 SSALEN 21 SALPEN 15 SALBEN 5 SALHEN 1 L5 AND (SSALEN OR SALPEN OR SALBEN OR SALHEN) L6 => s 15 and salen 2669 SALEN 41 SALENS 2676 SALEN (SALEN OR SALENS) 1 L5 AND SALEN L7 => dup rem 16 17 PROCESSING COMPLETED FOR L6 PROCESSING COMPLETED FOR L7 1 DUP REM L6 L7 (1 DUPLICATE REMOVED) L8 => d 18 ibib hitstr abs ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN DUPLICATE 1 2003:18368 CAPLUS ACCESSION NUMBER: 138:330730 DOCUMENT NUMBER: TITLE: Boron halide chelate compounds and their activity towards the demethylation of trimethylphosphate Keizer, Timothy S.; De Pue, Lauren J.; Parkin, Sean; AUTHOR (S): Atwood, David A. Department of Chemistry, University of Kentucky, CORPORATE SOURCE: Lexington, KY, 40506-0055, USA Canadian Journal of Chemistry (2002), 80(11), SOURCE: 1463-1468 CODEN: CJCHAG; ISSN: 0008-4042 National Research Council of Canada PUBLISHER: DOCUMENT TYPE: Journal English LANGUAGE: CASREACT 138:330730 OTHER SOURCE(S): Salen(t-Bu) H2 N, N'-ethylenebis(3,5-di-tert-butyl(2hydroxy) benzylidenimine) and its derivs. were used to prepare B compds. L(BCl2)2 (L = salen(t-Bu) (1), salpen(t-Bu) (2), salben (t-Bu) (3), salpten(t-Bu) (4), salhen(t-Bu) (5)). These are formed from the reaction of the corresponding L[B(OMe)2]2 with BCl3. In addition to being a new type of B compound, they are also potential two-point Lewis acids. Indeed, they demonstrate Lewis acidic behavior in the dealkylation of trimethylphosphate. All of the compds. were characterized by m.p., elemental anal., 1H and 11B NMR, IR, MS, and in the case of 2 by x-ray crystallog. THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS 30 REFERENCE COUNT: RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT => log y TOTAL SINCE FILE COST IN U.S. DOLLARS SESSION ENTRY 57.10 57.31 FULL ESTIMATED COST SINCE FILE TOTAL DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

ENTRY SESSION

-0.73

-0.73

STN INTERNATIONAL LOGOFF AT 19:20:47 ON 30 JUN 2005